INT. J. PROD. RES., 1992, VOL. 30, NO. 12, 2967–2976

INDEX OF AUTHORS (WITH TITLES)

PAGE

Afentakis, P., see Millen, R. A.
Agliari, A., see Zavanella, L.
Agarwal, S., see Agrawal, V. P.
Agrawal, V. P., Verma, A., and Agarwal, S.: Computer-aided evaluation and selection of optimum grippers 2713
Al-Hakim, L. A.: A modified procedure for converting a dual graph to a block layout 2467
Al-Kindi, G. A., Baul, R. M., and Gill, K. F.: An application of machine vision in the automated inspection of engineering surfaces 241
Albino, V., Carella, G., and Okogbaa, O. G.: Maintenance policies in just-in-time manufacturing lines 369
Alfredsson, B. E., see Vickson, R. G.
Alting, L., see Larsen, N. E.
Amoako-Gyampah, K., Meredith, J. R., and Raturi, A.: A comparison of tool management strategies and part selection rules for a flexible manufacturing system 733
Aneja, Y. P., see Rajamani, D.
Arizono, I., Yamamoto, A., and Ohta, H.: Scheduling for minimizing total actual flow times by neural networks 503
Armarego, E. J. A., see Gad, G. S.
Avula, X. J. R., see Rabelo, L. C.
Azadivar, F., see Moon, K. S.

Baines, R. W., see Zhao, Z.
Balcerak, K. J., and Dale, B. G.: Structuring modular bills of material with usage pattern analysis. 283
Ballou, D. P., see Chengalur, I. N.
Banerjee, P., Montreuil, B., Moodie, C. L., and Kashyap, R. L.: A modelling of interactive facilities layout designer reasoning using qualitative patterns 433
Barad, M.: Impact of some flexibility factors in FMSs—a performance evaluation approach 2587
Bard, J. F., Dar-El, E., and Shtub, A.: An analytic framework for sequencing mixed model assembly lines 35
Baul, R. M., see Al-Kindi, G. A.
Baum, J. E., see Chakravarty, A. K.
Bedworth, D. D., see Cao, J.
Bell, R., see Wang, W.
Bell, R., see Young, R. I. M.
Ben-Arieh, D., and Triantaphyllou, E.: Quantifying data for group technology with weighted fuzzy features. 1285
Beng Siong, L., Imao, T., Yoshida, H., Goto, K., Koh, S. L., Lim, D., Chin, L., and Gan, S. C.: Integrated modular fixture design, pricing and inventory control expert system 2019
Bernardo, J. J.: The cost advantage of hysteretic controls for bi-level production systems 2897
Boswell, S. G.: TESSA—A new greedy heuristic for facilities layout planning . . . 1957
Bozer, Y. A., see Srinivasan, M. M.
Brennan, L., see Gupta, S. M.
Bugini, A., see Zavanella, L.
Bulfin, R. L., see Inman, R. R.
Burbidge, J. L.: Change to group technology: process organization in obsolete . . . 1209

Cao, J., and Bedworth, D. D.: Flow shop scheduling in serial multi-product processes with transfer and set-up times 1819
Carella, G., see Albino, V.
Carroll, B., see Wilhelm, W. E.

PAGE

Chakravarty, A. K., and Baum, J. E.: Co-ordinated planning for competitive products and their manufacturing operations 2293
Chakravarty, A. K., see Naik, B.
Chandra, M. J., see Melloy, B. J.
Chang, Po-Chu, see Huang, Han-Pang
Chang, T. C., see Lee, Y. S.
Changchit, C., see Okogbaa, O. G.
Chanin, M. N., see Madu, C. N.
Chatterjee, S.: Performance characteristics of cryogenically treated high speed steel drills 773
Chaudhuri, D., see Reddy, C. E.
Chen, B., see Ge, Q.
Chen, H.-G.: A Petri-net-based state-transition model for an optimal operator cyclic walking pattern development 2381
Chen, M.-K., see Sathyanarayanan, G.
Chen, M.-T., see Okogbaa, O. G.
Cheng, T. C. E.: Optimal replacement of ageing equipment using geometric programming 2151
Chengalur, I. N., Ballou, D. P., and Pazer, H. L.: Dynamically determined optimal inspection strategies for serial production processes 169
Chiang, W.-C., see Kouvelis, P.
Chin, L., see Beng Siong, L.
Cho, M., see Kusiak, A.
Choi, B. K., see Lee, Y. S.
Chow, W.-M.: Component replacement policies for reworkable assemblies. . . . 1671
Christer, A. H., and Wang, W.: A model of condition monitoring of a production plant 2199
Christy, D. P., see Nandkeolyar, U.
Chryssolouris, G. Dicke, K., and Lee, M.: On the resources allocation problem . . 2773
Chu, C., Portmann, M. C., and Proth, J. M.: A splitting-up approach to simplify job-shop scheduling problems 859
Chu, Chao-Hsien, and Shih, Wei-Ling: Simulation studies in JIT production . . 2573
Co, H. C.: Streamlining material flow in flexible manufacturing systems: a lesson in simplicity 1483
Cochran, J. K., and Lin, L.: Assembly line system dynamic behaviour for high priority job order processing 1683
Cohen, P. H., see Smith, J. S.
Cook, D. F., and Shannon, R. E.: A predictive neural network modelling system for manufacturing process parameters 1537
Cossins, R., and Ferreira, P.: Celeritas: a coloured Petri net approach to simulation and control of flexible manufacturing systems 1925
Cox, J. F., see Moore, R. I.
Curpic, N. Lj., see Zrnic, Dj. N.
Currie, W. L., see Wu, B.

Dale, B. G., see Balcerak, K. J.
Damodaran, V., Lashkari, R. S., and Singh, N.: A production planning model for cellular manufacturing systems with refixturing considerations. 1603
Dar-El, E. M., see Kaspi, M.
Dar-El, E., see Bard, J. F.
Davis, J. W., see Smith, J. S.
Davis, R. P., Ferrell, W. G., Jr., and Sengupta, S: Discrete part manufacturing process control with quality considerations 1889
Devgun, M. S., see Schulte, R. M.
Dicke, K., see Chryssolouris, G.
Diligenti, M., see Zafanella, L.
Dong, W., Joe Au, Y. H., and Mardapittas, A.: Machine tool chatter monitoring by coherence analysis 1901
Dooley, K. J., see Guo, Y.
Dowlatshahi, S.: Product design in a concurrent engineering environment: an optimization approach 1803

PAGE

Downey, B. S., and Leonard, M. S.: Assembly line with flexible work-force . . 469
Dumond, J.: In a multi-resource environment, how much is enough? 395
Dutta, S. P., see Liang, M.

Eben-Chaime, M.: Operations sequencing in automated warehousing systems . . 2401
El-Gizawy, A. S., see Redman, R. S.
Enkawa Takao, see Shih, Li Chung

Fawcett, S. E.: Strategic logistics in co-ordinated global manufacturing success . . 1081
Ferreira, P., see Cossins, R.
Ferrell, W. G. Jr., see Davis, R. P.
Finch, B., see Luebbe, R.
Foster, S. T. Jr., see Franz, L. S.
Franz, L. S., and Foster, S. T. Jr.: Utilizing a knowledge-based decision-support system as total quality management consultant 2159
Fry, T. D., see Philipoom, P. R.

Gad, G. S., Armarego, E. J. A., and Smith, A. J. R.: Tool-chip contact length in orthogonal machining and its importance in tool temperature predictions, ... 485
Gan, S. C., see Beng Siong, L.
Garro, O., Martin, P., and Marti, H.: Algebraic description for machine tool design 2603
Ge, Q., Chen, B., Smith, P., and Menq, C. H.: Tolerance specification and comparative analysis for computer-integrated dimensional inspection 2173
Ghosh, S., Melnyk, S. A., and Ragatz, G. L.: Tooling constraints and shop floor scheduling: evaluating the impact of sequence dependency 1237
Gill, K. F., see Al-Kindi, G. A.
Golany, B., and Lev-er, A.: Comparative analysis of multi-term joint replenishment inventory models 1791
Golhar, D. Y., and Sarker, B. R.: Economic manufacturing quantity in a just-in-time delivery system 961
Goto, K., see Beng Siong, L.
Goyal, S., see Gupta, Y. P.
Graham, I.: Comparing trigger and kanban control of flowline manufacture . . 2351
Greef, A., see Young, R. E.
Guo, Y., and Dooley, K. J.: Identification of change structure in statistical process control 1655
Gupta, M. C., see Gupta, Y. P.
Gupta, S. M., and Brennan, L.: Heuristic and optimal approaches to lot sizing incorporating backorders: an empirical evaluation 2813
Gupta, Y. P., and Goyal, S.: Flexibility trade-offs in a random flexible manufacturing system: a simulation study 527
Gupta, Y. P., Keung, Y. K., and Gupta, M. C.: Comparative analysis of lot-sizing models for multi-stage systems: a simulation study 695
Gutierrez, G. J., see Kouvelis, P.

Harhalakis, G., see Jajodia, S.
Harmonosky, C. M., and Tothero, G. K.: A multi-factor plant layout methodology . 1773
Hassan, G. A., see Suliman, S. M. A.
Hassan, M. M. D.: Some observations on converting a dual graph into a block layout 2477
Haug, P.: An international location and production transfer model for high technology multinational enterprises 559
Hayya, J. C., see Hong, J.-D.
Hiraki, S., Tshii, K., Takahashi, K., and Muramatsu, R.: Designing a pull-type parts procurement system for international co-operative knockdown production systems 337
Hitomi, K., see Song, S.
Hodgson, T. J., see Wang, D.
Hogg, G. L., see Roderick, L. M.
Hommertzheim, D. L., see Sabuncuoglu, I.

PAGE

Hon, K. K. B., see Ismail, H. S.
Hong, J.-D., Hayya, J. C., and Kim, S.-L.: JIT purchasing and setup reduction in an integrated inventory model 255
Hossein Safizadeh, M., and Murphy, D. C.: Effect of R&D product and process expenditures on new product introductions 2921
Houshyar, A.: Single product multistage production with material handler and central storage 353
Hsu, L.-F., and Tapiero, C. S.: Integration of process monitoring, quality control and maintenance in an M/G/1 queue-like production system 2363
Huang, C.-L., see Li, R.-K.
Huang, Han-Pang, and Chang, Po-Chu: Specification modelling and control of a flexible manufacturing cell 2515
Huang, Y-J., see Terry, W. R.
Huettner, C. M., and Steudel, H. J.: Analysis of a manufacturing system via spreadsheet analysis, rapid modelling, and manufacturing simulation 1699
Huq, M. E., see Zhang, H. C.

Imao, T., see Beng Siong, L.
Inman, R. R., and Bulfin, R. L.: Quick and dirty sequencing for mixed-model multilevel JIT systems 2011
Ip, W. L. R., and Loftus, M.: Cusp geometry analysis in free-form surface machining 2697
Irani, S. A., see Lakkaraju, R. K.
Irani, S. A., see Smith, J. S.
Ishii, K., see Hiraki, S.
Ismail, H. S., and Hon, K. K. B.: New approaches for the nesting of two-dimensional shapes for press tool design 825
Itoh Kenji, see Shih, Li Chung

Jacobs, F. R., see Yang, K. K.
Jajodia, S., Minis, I., Harhalakis, G., and Proth, J.-M.: CLASS: Computerized LAout Solutions using Simulated annealing 95
Jang, D. Y.: A unified optimization model of a machining process for specified conditions of machined surface and process performance 647
Jeang, A., and Yang, K.: Optimal tool replacement with nondecreasing tool year . 299
Jha, N. K.: Stochastic mathematical modelling and manufacturing cost estimation in uncertain industrial environment 2755
Jijm, W. H. M., see Wester, F. A. W.
Joe Au, Y. H., see Dong, W.
Johnson, T. W., see Vargas, G. A.
Joo, Y. S., see Shin, Y. C.
Joshi, S. B., and Supinski, M. R.: The development of a generic PC-based programmable logic controller simulator 151
Kaparthi, S., and Suresh, N. C.: Machine-component cell formation in group technology: a neural network approach 1353
Karni, R., see Terry, W. R.
Karp, A., and Ronen, B.: Improving shop floor control: an entropy model approach 923
Kashyap, R. L., see Bannerjee, P.
Kasirajan, T., see O'Keefe, R. M.
Kaspi, M., and Dar-El, E. M.: Process conditions of a stand-alone machining centre for maximum contribution to profit unit time 985
Kern, G. M., see Shafer, S. M.
Ketchum, M. G.: A branch and bound approach to facility design for continuous flow manufacturing systems 573
Keung, Y. K., see Gupta, Y. P.
Kim Changong, see Yang Minyang
Kim, K., see Moon, K. S.
Kim, S.-L., see Hong, J.-D.
Kim, Y. S., and Kolarik, W. J.: Real-time conditional reliability prediction from on-line tool performance data 1831

PAGE

Knapp, G. M., and Wang, H.-P. (Ben): Machine fault classification: a neural network approach 811
Kochikar, V. P., and Narendran, T. T.: A framework for assessing the flexibility of manufacturing systems 2873
Koh, S. L., see Beng Siong, L.
Kolarik, W. J., see Kim, Y. S.
Koulamas, C. P.: Lot sizing and machining economics: the multi-item, multi-stage cost minimization case. 2265
Kouvelis, P., and Chiang, W.-C.: A simulated annealing procedure for single row layout problems in flexible manufacturing systems 717
Kouvelis, P., Gutierrez, G. J., and Chiang, W.-C.: Heuristic unidirectional flowpath design approaches for automated guided vehicle systems 1327
Krishnaiah Chetty, O. V., see Reddy, C. E.
Krishnamurthy, R., see Shanmugan, S.
Kusiak, A., and Cho, M.: Similarity coefficient algorithms for solving the group technology problem 2633

Lagodimos, A. G.: Multi-echelon service models for inventory systems under different rationing policies 939
Lakkaraju, R. K., Raman, S., and Irani, S. A.: An analytical model for optimization of NC tool cutting path 109
Lakkaraju, R. K., see Raman, S.
Larsen, N. E., and Alting, L.: Dynamic planning enriches concurrent process and production planning 1861
Lashkari, R. S., see Damodaran, V.
Lasserre, J. B.: New capacity sets for the hedging point strategy. 2941
Lee, H. L., and Tagaras, G.: Economic acceptance sampling plans in complex multi-stage production systems 2615
Lee, M., see Chryssolouris, G.
Lee, M.-K.: A storage assignment policy in a man-on-board automated storage/retrieval system 2281
Lee, W.-T., see Tcha, D.-W.
Lee, Y. S., Choi, B. K., and Chang, T. C.: Cut distribution and cutter selection for sculptured surface cavity machining 1447
Leonard, M. S., see Downey, B. S.
Lev-er, A., see Golany, B.
Li, R.-K., and Huang, C.-L.: Assembly code generation from a feature-based geometric model 627
Li, S., and Tirupati, D.: Technology choice and capacity expansion with two product families: tradeoffs between scale and scope 887
Liang, M., and Dutta, S. P.: Combined part selection, load sharing and machine loading problem in hybrid manufacturing systems 2335
Lim, D., see Beng Siong, L.
Lim, L. E. N., see Ong, N. S.
Lin, I. J., see Sathyanarayanan, G.
Lin, L., see Cochran, J. K.
Loftus, M., see Ip, W. L. R.
Logendran, R.: A model for duplicating bottleneck machines in the presence of budgetary limitations in cellular manufacturing 683
Luebbe, R., and Finch, B.: Theory of constraints and linear programming: a comparison 1471

Madu, C. N., and Chanin, M. N.: A regression metamodel of a maintenance float problem with Erlang-2 failure distribution 871
Mahadevan, B., and Narendran, T. T.: Determination of unit load sizes in an AGV-based material handling system for an FMS 909
Maimon, O., see Shtub, A.
Mardapittas, A., see Dong, W.
Marti, H., see Garro, O.
Martin, P., see Garro, O.

PAGE

Matson, J. O., Mellichamp, J. M., and Swaminathan, S. R.: EXCITE: Expert consultant for in-plant transportation equipment 1969
McFarlane, C., see Nagarajah, C. R.
Mejabi, O., and Wasserman, G. S.: Basic concepts of JIT modelling 141
Mejabi, O., and Wasserman, G. S.: Simulation constructs for JIT modelling . . 1119
Mellichamp, J. M., see Matson, J. O.
Melloy, B. J., and Chandra, M. J.: Consequences of using the C_{pk} index to estimate the proportion of non-conforming items 2253
Melnyk, S. A., see Ghosh, S.
Menq, C. H., see Ge, Q.
Menq, C. H., see Yau, H.-T.
Meredith, J. R., see Amoako-Gyampah, K.
Meredith, J. R., see Vineyard, M. L.
Midha, S., see Mukhopadhyay, S. K.
Millen, R. A., Solomon, M. M., and Afentakis, P.: The impact of a single input/output device on layout considerations in flexible manufacturing systems 89
Minis, I., see Jajodia, S.
Montreuil, B., see Banerjee, P.
Moodie, C. L., see Banerjee, P.
Moon, K. S., Azadivar, F., and Kim, K.: A stochastic optimization of the production speed of robots based on measured geometric and nongeometric errors . . 49
Moore, R. I., and Cox, J. F.: An analysis of the forecasting function in large-scale inventory systems 1987
Mukhopadhyay, S. K., Midha, S., and Murli Krishna, V.: A heuristic procedure for loading problems in flexible manufacturing systems 2213
Muralidhar, K., Swenseth, S. R., and Wilson, R. L.: Describing processing time when simulating JIT environments 1
Muramatsu, R., see Hiraki, S.
Murli Krishna, V., see Mukhopadhyay, S. K.
Murphy, D. C., see Hossein Safizadeh, M.
Murty, S. V., see Webster, D. B.

Nagarajah, C. R., Thompson, W., and McFarlane, C.: Effects of machine reliability and transporter speeds on flow time and production rates in component-process design 267
Nagarur, N.: Some performance measures of flexible manufacturing systems . . 799
Naik, A. R., see Pande, S. S.
Naik, B., and Chakravarty, A. K.: Strategic acquisition of new manufacturing technology: a review and research framework 1575
Nakasuka, S., and Yoshida, T.: Dynamic scheduling system utilizing machine learning as a knowledge acquisition tool 411
Nandkeolyar, U., and Christy, D. P.: An investigation of the effect of machine flexibility and number of part families on system performance 513
Narendran, T. T., see Kockikar, V. P.
Narendran, T. T., see Mahadevan, B.
Neves, J. S.: Average setup cost inventory model: performance and implementation issues 455

O'Grady, P., see Young, R. E.
O'Keefe, R. M., and Kasirajan, T.: Interaction between dispatching and next station selection rules in a dedicated flexible manufacturing system 1753
Ohta, H., see Arizono, I.
Okogbaa, O. G., Chen, M.-T., Changchit, C., and Shell, R. L.: Manufacturing system cell formation and evaluation using a new inter-cell flow reduction heuristic . . 1101
Okogbaa, O. G., see Albino, V.
Ong, N. S., Lim, L. E. N., and Yeo, K. T.: Cost modelling for electrical interconnect design justification 1877
Overfeld, J., and White, Th.: Lot-sizing for time-phased production 839
Oztemel, E., see Pham, D. T.

PAGE

Padmanabhan, S., see Schulte, R. M.
Panchal, K., Raman, S., and Pulat, P. S.: Computer-aid tolerance assignment procedure (CATAP) for design dimensioning 599
Pande, S. S., Naik, A. R., and Somasundaram, S.: Some investigations on plunge feed centreless grinding process 2825
Park, T.: A reply to comments on 'A model for determining job throughput times for manufacturing flow line workcells with finite buffers' 2231
Pazer, H. L., see Chengulur, I. N.
Pellegrin, C.: Choice of a periodic on-condition maintenance policy 1153
Petersen, C.M., Sorensen, K. L., and Vidal, R. V. V.: Inter-process synchronization in steel production 1415
Pham, D. T., and Oztemel, E.: XPC: an on-line expert system for statistical process control 2857
Philipoom, P. R., and Fry, T. D.: Capacity-based order review/release strategies to improve manufacturing performance 2559
Phillips, D. T., see Roderick, L. M.
Phillis, Y. A.: Comments on 'A model for determining job throughput times for manufacturing flow line workcells with finite buffers' 2229
Pinto, P. A., and Rao, B. M.: Joint lot-sizing and scheduling for multi-stage multi-product flow shops 1137
Portmann, M. C., see Chu, C.
Pramanik, D. K.: Facet point drills—a comparative study 1045
Proth, J. M., see Chu, C.
Proth, J. M., see Jajodia, S.
Pulat, P. S., see Panchal, K.

Rabelo, L. C., and Avula, X. J. R.: Adaptive control of a manipulator using artificial neural networks 315
Radenkovic, B. Lj., see Zrnic, Dj. N.
Radhakrishnan, T.: Combined effects of linear and angular errors in pc board assembly 1037
Ragatz, G. L., see Ghosh, S.
Rajamani, D., Singh, N., and Aneja, Y. P.: A model for cell formation in manufacturing systems with sequence dependence 1227
Raman, S., and Lakkaraju, R. K.: Incorporation of tool-life variables in NC path planning 2545
Raman, S., see Lakkaraju, R. K.
Raman, S., see Panchal, K.
Raman, S., see Singh, R.
Rao, B. M., see Pinto, P. A.
Raturi, A., see Amoako-Gyampah, K.
Reddy, C. E., Krishnaiah Chetty, O. V., and Chaudhuri, D.: A Petri net based approach for analysing tool management issues in FMS 1427
Redman, R. S., and El-Gizawy, A. S.: Minimum time collision-free path planning for robotic assembly 1301
Roderick, L. M., Phillips, D. T., and Hogg, G. L.: A comparison of order release strategies in production control systems 611
Rohleder, T. R., and Scudder, G. D.: Scheduling rule selection for the forbidden early shipment environment: a comparison of economic objectives 129
Ronen, B., and Rozen, E.: The missing link between manufacturing strategy and production planning 2659
Ronen, B., and Spector, Y.: Managing system constraints: a cost/utilization approach 2045
Ronen, B., see Karp, A.
Ronen, B.: The complete kit concept 2457
Rozen, E., see Ronen, B.
Russell, R. S., see Sumichrast, R. T.

Sabuncuoglu, I., and Hommertzheim, D. L.: Dynamic dispatching algorithm for scheduling machines and automated guided vehicles in a flexible manufacturing system 1059

PAGE

Sabuncuoglu, I., and Hommertzheim, D. L.: Experimental investigation of FMS machine and AGV scheduling rules against the mean flow-time criterion 1617
Sarker, B. R., see Golhar, D. Y.
Sathyanarayanan, G., Lin, I. J., and Chen, M.-K.: Neural network modelling and multiobjective optimization of creep feed grinding of superalloys. 2421
Schulte, R. M., Padmanabhan, S., and Devgun, M. S.: Feature-driven, process-based approach to the integration of CAD 1005
Scudder, G. D., see Rohleder, T. R.
Seddon, J. J. M., see Wu, B.
Sengupta, S., see Davis, R. P.
Shafer, S. M., Kern, G. M., and Wei, J. C.: A mathematical programming approach for dealing with exceptional elements in cellular manufacturing. 1029
Shanmugam, S., and Krishnamurthy, R.: Machinability study on pearlitic spheroidal graphite cast iron 189
Shannon, R. E., see Cook, D. F.
Shell, R. L., see Okogbaa, O. G.
Shih, Li Chung, Enkawa Takao, and Itoh Kenji.: An AI-search technique based layout planning method 2839
Shih, Wei-Ling, see Chu, Chao-Hsien
Shiko, G.: A process planning-orientated approach to part family formation problem in group technology applications 1739
Shin, Y. C., and Joo, Y. S.: Optimization of machining conditions with practical constraints 2907
Shtub, A., and Maimon, O.: Role of similarity measures in PCB grouping procedures 973
Shtub, A., see Bard, J. F.
Singh, N., see Damodaran, V.
Singh, N., see Rajamani, D.
Singh, R., and Raman, S.: METEX-An expert system for machining planning . . 1501
Sinriech, D., and Tanchoco, J. M. A.: An economic model for determining AGV fleet size 1255
Sinriech, D., and Tanchoco, J. M. A.: Impact of empty vehicle flow on performance of single-loop AGV systems 2237
Sinriech, D., see Tanchoco, J. M. A.
Smith, A. J. R., see Gad, G. S.
Smith, J. S., Cohen, P. H., Davis, J. W., and Irani, S. A.: Process plan generation for sheet metal parts using an integrated feature-based expert system approach. . . . 1175
Smith, P., see Ge, Q.
Solomon, M. M., see Millen, R. A.
Som, P., see Wilhelm, W. E.
Somasundaram, S., see Pande, S. S.
Song, S., and Hitomi, K.: GT cell formation for minimizing the intercell parts flow . 2737
Sorensen, K. L., see Petersen, C. M.
Spector, Y., see Ronen, B.
Srinivasan, M. M., and Bozer, Y. A.: Which one is responsible for WIP: the workstations or the material handling system? 1369
Steudel, H. J., see Huettner, C. M.
Sule, D. R.: A heuristic procedure for component scheduling in printed circuit pack sequencers 1191
Suliman, S. M. A., and Hassan, G. A.: Turning process model for steady-state optimal control 383
Sumichrast, R. T., Russell, R. S., and Taylor, B. W. III: A comparative analysis of sequencing procedures for mixed-model assembly lines in a just-in-time production system 199
Supinski, M. R., see Joshi, S. B.
Suresh, N. C., see Kaparthi, S.
Swaminathan, S. R., see Matson, J. O.
Swenseth, S. R., see Muralidhar, K.

Tagaras, G., see Lee, H. L.
Takahashi, K., see Hiraki, S.

Takikonda, M. V., and Wemmerlöv, U.: Adoption and implementation of group technology classification and coding systems: insights from seven case studies . 2087
Tam, K. Y.: A simulated annealing algorithm for allocating space to manufacturing cells 63
Tanchoco, J. M. A., and Sinriech, D.: OSL-optimal single-loop guide paths for AGVS 665
Tanchoco, J. M. A., see Sinriech, D.
Tapiero, C. S., see Hsu, L.-F.
Taylor, B. W. III, see Sumichrast, R. T.
Tcha, D.-W., Lee, W.-T., and Yamazaki, G.: Server assignment for multi-stage production systems with finite buffers 1637
Terry, W. R., Karni, R., and Huang, Y.-J.: Concurrent tool and production system for a surface broach cutting tool: a knowledge-based systems approach 219
Thompson, W., see Nagarajah, C. R.
Tirupati, D., see Li, S.
Toklu, B., and Wilson, J. M.: A heuristic for multi-level lot-sizing problems with a bottleneck 787
Tothero, G. K., see Harmonosky, C. M.
Triantaphyllou, E., see Ben-Arieh, D.

Vargas, G. A., and Johnson, T. W.: An assessment of quality management in the US/Mexico export processing industry. 1845
Verma, A., see Agrawal, V. P.
Vickson, R. G., and Alfredsson, B. E.: Two- and three-machine flow shop scheduling problems with equal sized transfer batches 1551
Vidal, R. V. V., see Petersen, C. M.
Vineyard, M. L., and Meredith, J. R.: Effect of maintenance policies on FMS failures 2647

Wang, D., and Hodgson, T. J.: Computation reduction for a large-scale Markov process model to analyse multistage production systems 2411
Wang, H.-P. (Ben), see Knapp, G. M.
Wang, W., and Bell, R.: A knowledge based multi-level modelling system for the design of flexible machining facilities 13
Wang, W., see Christer, A. H.
Wasserman, G. S., see Mejabi, O.
Webster, D. B., and Murty, S. V.: Computer-based FMS facilities design tool . . 2439
Wei, J. C., see Shafer, S. M.
Wei, J. C.: Discussion: A note on 'Change to group technology' 1221
Wemmerlöv, U., see Takikonda, M. V.
Wester, F. A. W., Wijngaard, J., and Zijm, W. H. M.: Order acceptance strategies in production-to-order environment with setup times and due-dates . . . 1313
White, Th., see Overfeld, J.
Wijngaard, J., see Wester, F. A. W.
Wilhelm, W. E., Som, P., and Carroll, B.: A model for implementing a paradign of time-managed, material flow control in certain assembly systems. 2063
Wilson, J. M., see Toklu, B.
Wilson, R. L., see Muralidhar, K.
Wu, B., Seddon, J. J. M., and Currie, W. L.: Computer-aided dynamic preventive maintenance within the manufacturing environment 2683

Yamamoto, A., see Arizono, I.
Yamazaki, G., see Tcha, D.-W.
Yang Minyang, and Kim Changong: A CAD/CAM system for spatial cams . . 2797
Yang, K. K., and Jacobs, F. R.: Comparison of make-to-order shops with different machine layouts and production control systems 1269
Yang, K., see Jeang, A.
Yau, H.-T., and Menq, C.-H.: An automated dimensional inspection environment for manufactured parts using coordinate measuring machines 1517
Yeo, K. T., see Ong, N. S.
Yoshida, H., see Beng Siong, L.
Yoshida, T., see Nakasuka, S.

Young, R. E., Greef, A., and O'Grady, P.: An artificial intelligence-based constraint network system for concurrent engineering 1715
Young, R. I. M., and Bell, R.: Machine planning in a product model environment . 2487

Zavanella, L., Agliari, A., and Diligenti, M.: Dispatching rules and flexible environments: the influence of buffer behaviour 749
Zavanella, L., and Bugini, A.: Planning tool requirements for flexible manufacturing: an analytical approach 1401
Zhang, H. C., and Huq, M. E.: Tolerancing techniques: the state-of-the-art . . 2111
Zhao, Z., and Baines, R. W.: Conjugative coding design and manufacturing information for computer integrated manufacturing. 2313
Zijm, W. H. M., see Wester, F. A. W.
Zrnic, Dj. N., Curpic, N. Lj., and Radenkovic, B. Lj.: A study of material flow systems (input/output) in high-bay warehouses 2137